

All communications to be addressed to:

Headquarters
15 Carter Street
Lidcombe NSW 2141

Headquarters
Locked Bag 17
Granville NSW 2142

Telephone: 1300 NSW RFS
e-mail: csc@rfs.nsw.gov.au

Facsimile: 8741 5433



Director General
Dept. Of Planning - Alpine
PO Box 36
Jindabyne NSW 2627

Your Ref: 8154 & 16/15961
Our Ref: D16/4340
DA16122105351 MD

ATTENTION: Mark Brown

10 March 2017

Dear Sir / Madam

Integrated Development for Unit 5, 7 Summit Way, Thredbo

I refer to your letter dated 15 December 2016 seeking general terms of approval for the above Integrated Development in accordance with Section 91 of the 'Environmental Planning and Assessment Act 1979'.

This response is to be deemed a bush fire safety authority as required under section 100B of the 'Rural Fires Act 1997' and is issued subject to the following numbered conditions:

Asset Protection Zones

The intent of measures is to provide sufficient space for fire fighters and other emergency services personnel, ensuring radiant heat levels permit operations under critical conditions of radiant heat, smoke and embers, while supporting or evacuating occupants. To achieve this, the following conditions shall apply:

1. At the commencement of building works and in perpetuity the entire leasehold lot shall be managed as an inner protection area (IPA) as outlined within section 4.1.3 and Appendix 5 of 'Planning for Bush Fire Protection 2006' and the NSW Rural Fire Service's document 'Standards for asset protection zones'.

Water and Utilities

The intent of measures is to minimise the risk of bush fire attack and provide protection for emergency services personnel, residents and others assisting fire fighting activities. To achieve this, the following conditions shall apply:

2. Any installation of water, electricity and gas are to comply with sections 4.1.3 and 4.2.7 of 'Planning for Bush Fire Protection 2006'.

Evacuation and Emergency Management

The intent of measures is to provide suitable emergency and evacuation (and relocation) arrangements for occupants of special fire protection purpose developments. To achieve this, the following conditions shall apply:

3. Arrangements for emergency and evacuation are to comply with section 4.2.7 of 'Planning for Bush Fire Protection 2006'.
 - An Emergency/Evacuation Plan is to be prepared in accordance with the NSW Rural Fire Service Guidelines for the Preparation of Emergency/Evacuation Plan and comply with Australian Standard AS 3745:2010 'Planning for Emergencies in Facilities'.
 - Detailed plans of all Emergency Assembly Areas including “on site” and “off site” arrangements as stated in Australian Standard AS 3745:2010 'Planning for Emergencies in Facilities' are clearly displayed, and an annual (as a minimum) trial emergency evacuation is conducted.

Design and Construction

The intent of measures is that buildings are designed and constructed to withstand the potential impacts of bush fire attack. To achieve this, the following conditions shall apply:

4. New construction shall comply with Sections 3 and 7 (BAL 29) Australian Standard AS3959-2009 'Construction of buildings in bush fire-prone areas' and section A3.7 Addendum Appendix 3 of 'Planning for Bush Fire Protection'.

General Advice – consent authority to note

Note: (The notes do not form part of the Bush Fire Safety Authority)

- Separate advice with respect to the upgrading of the building for ember protection is provided in the letter dated 9 March 2017 titled 'Unit 5, 7 Summit Way Thredbo – Ember Upgrade'.

For any queries regarding this correspondence please contact Martha Dotter on 1300 NSW RFS.

Yours sincerely



Amanda Moylan

Team Leader Development Assessment and Planning

The RFS has made getting information easier. For general information on 'Planning for Bush Fire Protection, 2006', visit the RFS web page at www.rfs.nsw.gov.au and search under 'Planning for Bush Fire Protection, 2006'.