NSW RUBAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS V116

SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

PART A	Property Detail	s		: . *:
Applicants Name:				
Contact Phone Number; (H): [(M):	
Council: Lot:6.1.Z. DP:		. Council Reference	(if known):	
Address to be developed:	70 Mada	Tala Dal	a Harry	(ba
	posterony		W. W	N
My property is on Bush Fire	Prone Land: 🗡 Yes	6		7
PART B	Type of Propos	al		
Type of Proposal:				
New Building Dual Occupancy Alteration/Additions to a	an existing building	Urban Rural Residenti Isolated Rural	al	
Proposal Description: e.g. to			ANOSCAIN	<i>a.</i> ′
		<i>j</i>		
Copy of plans attached	Yes			
PART C	Bush Fire Attac	ck and Level of (Construction	
Step 1: Asess the vegeta AUSLIG (1990) using Table	tion about the propo :1	osed building in all d	lirections and conve	ert from Keith to
CATEGORY	NORTH	EAST	SOUTH	WEST
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land
Copy of any relevant photos	attached Yes	see Bus	Lfive Asse	SSMENT Refor

Step 2: Determine the distance from asset to boundary line

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	m	5 m		<i>0</i> m

Step 3: Determine the distance from the building line to the vegetation in each direction as above

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	3.5 m	200 m	60 m	80m

Step 4: Determine the effective slope that will influence bush fire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat \(\sum_{>0} \) to 5 \(>5 \) to 10 \(>10 \) to 15 \(>15 \) to 18

Step 5: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below

a). Circle die relevatie i bi below						
FDI	100	80	∑ ∕50			
Step 6: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level						
FDI	100 (see Teble 4. page 11)	80 (see Table 5. page 12)	50 (see Teble 6. page 13)			

Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959.

Bush Fire Attack Level

	BAL- 19
	BAL-12.5
☐ BAL- 29	No requirement

Does your proposal meet the required construction level YES NO

PART D Flame Zone

Provide details and evidence of an alternative solution.

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

Step 2: Determine the distance from as	set to boundary ii	ine	
		COUTU	MIECT

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	m	5 m	4.5 m	<i>O</i> m

Step 3: Determine the distance from the building line to the vegetation in each direction as above

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	m	m	m	m

Step 4: Determine the effective slope that will influence bush fire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST
Slope under the hezard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >O to 5 >5 to 10 >10 to 15 >15 to 18

Step 5: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below

FDI	100	80	50
Step 6: Mate	ch the relevant FDI, vegetation, distan	ce and slope to	o determine the required APZ and

FDI 100 (see Table 4, page 11) BO (see Table 5, page 12) 50 (see Table 6, page 13)	College deadly level			
	FDI	100 (see Table 4. page 11)	80 (see Table 5. page 12)	50 (see Table 6, page 13)

Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959.

Bush Fire Attack Level

BAL- FZ	☐BAL- 19
BAL- 40	BAL-12.5
☐ BAL- 29	No requirement

Does your proposal meet the required construction level YES NO

PART D Flame Zone

Provide details and evidence of an alternative solution.

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

Water Supplies

0110
שהושבות
MENI APP
LING DEVELOPMENT APPLICATIONS
WELLING
SINGLE
LINES FOR
ICE GUIDE
FIRE SERV
NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING
4

PART E

Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance to the nearest fire hydrant on your site plan.					
Reticulated (piped) wa	iter supply is a	available			
Yes No Dis	tence 1	(m) to hydrant from house.			
			nnongo?		
Do you have or do you plan to have a dedicated water supply for firefighting purposes?					
Yes No					
Development Type		Water Requirement	Planned	Existing	
Residential Lots (<1,000m2)		5,000 I/lot			
Rural-residential Lots (1,000-10,000m2)		10,000 I/lot			
Large Rural/Lifestyle Lots (>10,000m2)		20,000 I/lot			
Dual Occupancy		2,500 I/unit			
Townhouse/Unit Style (e.g. Flats)		5,000 I/unit up to 20,000I maximum			
Do you have or do you plan to have a static water supply (e.g. pool, tank or dam). Include approx. size in litres and also include tank material if using a tank:					
Water supply type	Capacity	Construction material	Planned	Existing	
Water supply type	Capacity 50,000l	Construction material Above ground rolled steel with plastic liner	Planned	Existing	
			Planned	Existing	
			Planned	Existing	
			Planned	Existing	
e.g. pool NOTE: Check with yo	50,000l				
e.g. pool NOTE: Check with yo	ur local counc	Above ground rolled steel with plastic liner			
e.g. pool NOTE: Check with yo Control Plan (DCP) a	ur local counc s this may dic	Above ground rolled steel with plastic liner sil concerning their Local Environmental Plantate the type and size of tank.			
e.g. pool NOTE: Check with yo Control Plan (DCP) a PART F GAS Do you have reticular TYPE OF GAS	ur local counc s this may dic	Above ground rolled steel with plastic liner iil concerning their Local Environmental Plantate the type and size of tank. Supplies bottled gas?			